



Dinal



Test Report

ULR NO. TC1299626000013014F

Date: 14/03/2026

Sample ID No. : NAL/202603EW00005705
 Discipline / Group : Chemical & Biological / Water
 Name of the Customer* : ADVAITH INTERNATION ACADEMY
 Address : Virupasandram (inupasandra- Nallur),
 HOSUR
 Sample Described by the Customer* : RO DRINKING WATER
 Quantity of the Sample Received : 5 Ltr
 Condition on Receipt : Fit for Analysis
 Information about Sampling : Submitted by Customer
 Customer Reference : By Letter Dated.09/03/2026
 Date of Sample Receipt : 09/03/2026
 Date of test Starting : 09/03/2026
 Date of test Completed : 14/03/2026


S.No	Parameters	Methods	Unit	Test Result	Limits as per IS 10500.2012, Amd.No.4 Nov 2021	
					Acceptable Limit	Permissible Limit

Table 1 - Organoleptic And Physical Parameters (Foreword and clause 4)

1	Colour	IS 3025 (Part - 4).2021	Hazen	BLQ[LOQ-1.0]	5.0 Max	15.0 Max
2	Odour	IS 3025 (Part - 5).2018	-	Agreeable	Agreeable	Agreeable
3	pH @25°C	IS 3025 (Part - 11).2022	-	6.81	6.5 to 8.5	No relaxation
4	Taste	IS 3025 (Part - 8).2023	-	Agreeable	Agreeable	Agreeable
5	Turbidity	IS 3025 (Part - 10).2023	NTU	BLQ[LOQ-0.5]	1.0 Max	5.0 Max
6	Total Dissolved Solids	IS 3025 (Part - 16).2023	mg/L	24.0	500.0 Max	2000.0 Max

Table 2- General Parameters Concerning Substances Undesirable In Excessive Amounts(Foreword and clause 4)

7	Aluminium as Al	IS 3025 (Part - 55).2003	mg/L	BLQ[LOQ-0.01]	0.03 Max	0.2 Max
8	Ammonia as total ammonia - N	IS 3025 (Part - 34/sec1).2023	mg/L	BLQ[LOQ-0.25]	0.5 Max	No relaxation



Authorized Signatory



Test Report

ULR NO: TC1299626000013014F Date: 14/03/2026

S.No	Parameters	Methods	Unit	Test Result	Limits as per IS 10500.2012, Amd.No.4 Nov 2021	
					Acceptable Limit	Permissible Limit
9	Anionic surface active agents as MBAS	IS 3025 (Part-68):2019	mg/L	BLQ[LOQ-0.1]	0.2 Max	1.0 Max
10	Barium as Ba	IS 13428 Annex F, 2005	mg/L	BLQ[LOQ-0.05]	0.7 Max	No relaxation
11	Boron as B	Annex J of IS 13428.2024	mg/L	BLQ[LOQ-0.05]	0.5 Max	2.4 Max
12	Calcium as Ca	IS 3025 (Part - 40),2024	mg/L	2.81	75.0 max	200.0 Max
13	Chloride as Cl	IS 3025 (Part - 32),1988	mg/L	7.05	250.0 Max	1000.0 Max
14	Copper as Cu	IS 3025 (Part - 42),1992	mg/L	BLQ[LOQ-0.01]	0.05 Max	1.5 Max
15	Fluoride as F	IS 3025 (Part - 60/sec2),2022	mg/L	BLQ[LOQ-0.02]	1.0 Max	1.5 Max
16	Free Residual chlorine	IS 3025 (Part - 26),2021	mg/L	BLQ[LOQ-0.1]	0.2 Min	1.0 Max
17	Iron as Fe	IS 3025(Part - 53),2003	mg/L	BLQ[LOQ-0.05]	1.0 Max	No relaxation
18	Magnesium as Mg	IS 3025 (Part - 46),2023	mg/L	0.73	30.0 Max	100.0 Max
19	Manganese as Mn	IS 3025(Part - 59),2006	mg/L	BLQ[LOQ-0.05]	0.1 Max	0.3 Max
20	Mineral Oil	IS 3025 (Part - 39),2021	mg/L	BLQ[LOQ-0.02]	1.0 Max	No relaxation
21	Nitrate as NO3	IS 3025 (Part - 34/sec1),2021	mg/L	BLQ[LOQ-1.0]	45.0 Max	No relaxation
22	Phenolic compound as C6H5OH	IS 3025 (Part - 43/sec1),2022	mg/L	BLQ[LOQ-0.001]	0.001 Max	0.002 Max
23	Selenium as Se	IS 3025 (Part -	mg/L	BLQ[LOQ-0.001]	0.01 Max	No relaxation



Authorized Signatory

"Continue....."

Test Report

ULR NO. TC1299626000013014F Date: 14/03/2026

S.No	Parameters	Methods	Unit	Test Result	Limits as per IS 10500.2012, Amd.No.4 Nov 2021	
					Acceptable Limit	Permissible Limit
		56).2003				
24	Chloramines (as Cl ₂)	IS 3025 (Part - 26).2021	mg/L	BLQ[LOQ-0.1]	4.0 Max	No relaxation
25	Silver (as Ag)	Annex J of IS 13428:2005	mg/L	BLQ[LOQ-0.005]	0.1 Max	No relaxation
26	Sulphate (as SO ₄)	IS 3025 (Part - 24/sec 1).2022	mg/L	BLQ[LOQ-5.0]	200.0 Max	400.0 Max
27	Sulphide (as H ₂ S)	IS 3025 (Part - 29).2022	mg/L	BLQ[LOQ-0.05]	0.05 Max	No relaxation
28	Total Alkalinity (as CaCO ₃)	IS 3025 (Part - 23).2023	mg/L	5.13	200.0 max	600.0 Max
29	Total Hardness (as CaCO ₃)	IS 3025 (Part - 21).2023	mg/L	10.03	200.0 Max	600.0 Max
30	Zinc (as Zn)	IS 3025 (Part - 49).1994	mg/L	BLQ[LOQ-0.01]	5.0 Max	15.0 Max

Table 3- Parameters Concerning Toxic Substances (Foreword and clause 4)

31	Cadmium (as Cd)	IS 3025 (Part - 41).1992	mg/L	BLQ[LOQ-0.001]	0.003 Max	No relaxation
32	Cyanide (as CN)	IS 3025 (Part - 27/sec 1).2021	mg/L	BLQ[LOQ-0.001]	0.05 Max	No relaxation
33	Lead (as Pb)	IS 3025 (Part - 47).1994	mg/L	BLQ[LOQ-0.005]	0.01 Max	No relaxation
34	Mercury (as Hg)	IS 3025 (Part - 48).1994	mg/L	BLQ[LOQ-0.0005]	0.001 Max	No relaxation
35	Nickel (as Ni)	IS 3025 (Part - 54).2003	mg/L	BLQ[LOQ-0.01]	0.02 Max	No relaxation
36	Molybdenum (as Mo)	IS 3025 (Part - 02).2019	mg/L	BLQ[LOQ-0.02]	0.07 Max	No relaxation
37	Total Arsenic (as As)	IS 3025 (Part -	mg/L	BLQ[LOQ-0.001]	0.01 Max	No relaxation





 Authorized Signatory

Test Report

ULR NO: TC1299626000013014F Date: 14/03/2026

S.No	Parameters	Methods	Unit	Test Result	Limits as per IS 10500:2012, Amd.No.4 Nov 2021	
					Acceptable Limit	Permissible Limit
		37).2022				
38	Total Chromium (as Cr)	IS 3025 (Part - 52).2003	mg/L	BLQ[LOQ-0.01]	0.05 Max	No relaxation

Table 6- Bacteriological Quality of Drinking Water (Clause 4.1.1)

39	Coliform	IS 1622 : 1981	Per 100ml	Absent	Not detectable	-
40	Escherichia coli	IS 1622 : 1981	Per 100ml	Absent	Not detectable	-

Disclaimer:

All the above test parameters are carried out with the sample "as received condition". The results relate only to the items tested. This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Labs India Private Limited and shall not be under any circumstance extrapolated to any other product(s) made out of this sample. NAWaL Analytical Labs India Private Limited is not responsible for any deterioration/ deviation in quality or quantity of the product due to the nature of the product or during transit.

Note :

*Detail provided by the Customer. The information provided by customer may affect the validity of test result

BLQ-Below Limit of Quantification, LOQ- Limit of Quantification

[Signature]
 Authorized Signatory
 Dr. P.S.Dheenan
 Sr.Manager / Food Analyst



For NAWaL Analytical Labs India Private Limited

[Signature]
 Authorized Signatory
 S.Elamathi
 Deputy Technical Manager

Sangeeta Roy.

PRINCIPAL
ADVAITH INTERNATIONAL ACADEMY
 # 5/330, Innappasandram - Nallur Road,
 Hosur - 635 103.
 CBSE AFFI : 1930740

For ADVAITH INTERNATIONAL ACADEMY
 (CBSE SCHOOL)

Ashwath Narayana
 Chairman





Registration Certificate
Government of Tamil Nadu
Department
(Food Safety Wing)

Food Safety and Standards Authority of India
Registration Certificate under FSS Act, 2006



Registration Number: 22423099000550



1. Name and permanent address of Food Business Operator (FBO) ADVAITH INTERNATIONAL ACADEMY ASWATHNARAYANA EDUCATIONAL AND CHARITABLE TRUST, HOSUR., Hosur Mpty, Krishnagiri, Tamil Nadu-635109
2. Address of location where food business is to be conducted / premises ASVATH NARAYANA, NO 5/330, INNAPASANDRAM - NALLUR ROAD, NALLUR, HOSUR., Hosur block, Krishnagiri, Tamil Nadu - 635103
3. Kind of Business Club/Canteen
4. Photo Identity Card N/A



This Registration certificate is issued under and is subject to the provisions of FSS Act, 2006 all of which must be complied with by the petty food business.

Place Krishnagiri
Issued On 03-10-2023 (New Registration)
Valid Upto: 02-10-2028 (For details, refer Annexure)

Registering Authority

Date : 03-10-2023 23:43:18
User Id : 107823

License Issued On : 03-10-2023 23:43:18

Annexures:

1. Product Annexure
2. Validity Annexure
3. Registration Id Card

Sangeeta Roy
PRINCIPAL
ADVAITH INTERNATIONAL ACADEMY
5/330, Innappasandram - Nallur Road,
Hosur - 635 103.
CBSE AFFI : 1930740

For **ADVAITH INTERNATIONAL ACADEMY**
(CBSE SCHOOL)

Abhivalt narayana
Chairman

FOOD SAFETY OFFICE
TAMIL NADU Food Safety & Standards
REGULATORY TOWN & BLOCK (Code)
Hosur BDO Office Campus,
HOSUR, Krishnagiri Dist.



GOVERNMENT OF TAMIL NADU
DIRECTORATE OF PUBLIC HEALTH AND PREVENTIVE MEDICINE
பொது சுகாதாரம் மற்றும் நோய்த் தடுப்பு மருந்துத்துறை
SELF DECLARED SANITATION CERTIFICATE

(Issued under G.O.(Ms)No. 276 of Health and Family Welfare (AB2) Department dated
23.09.2024 on the basis of affidavit by the applicant)

Certificate Number : TN00126KGI20363

Issued Date : 06-01-2026

Organization Type : Educational Institutions

Expiry Date : 05-01-2027

Name of the Organization : ADVAITH INTERNATIONAL ACADEMY

Address : Sf.No.511/1A1,1A2,1B1, 512/3A,3B, NALLUR - VILLAGE,
HOSUR - 635103, KRISHNAGIRI - DIST.

I, ASHWATH NARAYANA owner/manager of the ADVAITH INTERNATIONAL ACADEMY functioning as Educational Institutions located at Nallur in Krishnagiri district hereby declare that

- This Self-Declared Sanitation certificate is valid from 06-01-2026 to 05-01-2027 and will be renewed every year prior to the expiry of the current certificate with updated information.
 - Our premises can accommodate 2720 people/pupils and has 51 urinals and 58 toilets which is proportionate to the number of users as per government norms.
 - 15 Sanitation workers are deployed to clean the entire premises including Toilets, Common Area Spaces, etc., at regular intervals and proper record is maintained.
 - The waste generated on our premises is properly processed and disposed of as per Solid Waste management Rules, 2016
 - There is no potential mosquito breeding area on the premises.
 - The premises have adequate drinking water fountains on each floor of the premises
 - The self-declared certificate is displayed prominently on the premises along with the protocol
- The Government reserves the right to inspect at any point of time and cause for rectification or cancel or suspend the certificate and take legal action if any conditions are violated.

Signature of the Owner/Manager



(அ) TN00126KGI20363 என்ற தனிப்பட்ட சான்றிதழ் எண்ணை

<https://www.tnseva.in.gov.in/district/CheckStatusCertificate> ல் உள்ளீடு செய்து சரிபார்க்கவும்
(அல்லது)

(ஆ) கைப்பேசியில் பார்ப்பதற்கு படிப்பான் மூலம் இணையதளத்தில் சரிபார்க்கவும்.

Genuineness of the certificate can be verified by.

(a) Keying in the unique certificate number TN00126KGI20363 in the URL

<https://www.tnseva.in.gov.in/district/CheckStatusCertificate>

(b) Reading the 2D barcode with mobile barcode reader and verify through online.

ADVAITH INTERNATIONAL ACADEMY
5/330, Innappasandram - Nallur Road,
Hosur - 635 103.
CBSE AFFI : 1930740

Ashwath narayana
Chairman



DEPARTMENT OF PUBLIC HEALTH AND PREVENTIVE MEDICINE

K.Dis.No : 0132/A4/2025

Date : 21/01/2025

District Health Office
Krishnagiri.

SANITARY CERTIFICATE

(Refer Tamil Nadu Public Health ACT -1939,Chapte III,Sec 24,Tamil Nadu Educational Rules)

Sub : Public Health – Sanitary certificate issued – reg.

Ref : 1. Application Dated : 21/01/2025.

2. Inspection Report Dated : 22/01/2025

With the reference to the above, I hereby declare that, "Sanitary Certificate" issued to

**M/s. ADVAITH INTERNATIONAL ACADEMY,
NALLUR -- 635103,
HOSUR - TALUK,
KRISHNAGIRI - (DIST).**

Subject to The Following Terms and Conditions :-

1. That the Building is Properly Lighted and Ventilated.
2. That the Building is Maintained Properly.
3. That is Neat and Clean.
4. That the Toilets arrangements are Adequate & Satisfactory.
5. That the Supply of water is wholesome.
6. There should be no Mosquito Breeding within the Premises.
7. Use of plastics should be avoided.
8. Should comply with Public Health Rules & Public Health Activities.
9. That in all other aspects, the Sanitation is Good.
10. Tobacco Prohibition Board should be Displayed in the School Premises **60X30** CM Containing "NO SMOKING AREA ", "SMOKING HERE IS AN OFFENCE" as per **COTPA**
11. There should be no sale of Tobacco products within the **Radius of 100 Yards** of the Educational Institution.
12. **This Certificate is Valid One Year from the Date of Issue.**

//Counter Signed//

**Block Health Supervisor,
GPHC- Bagalur, Hosur Block.**

**District Health Officer,
Krishnagiri.**

TO,

**M/s. ADVAITH INTERNATIONAL ACADEMY,
NALLUR -- 635103,
HOSUR - TALUK,
KRISHNAGIRI - (DIST).**

Sangeeta Roy
PRINCIPAL
ADVAITH INTERNATIONAL ACADEMY
5/330, Innappasandram - Nallur Road,
Hosur - 635 103.
CBSE AFFI : 1930740

**For ADVAITH INTERNATIONAL ACADEMY
(CBSE SCHOOL)**

Ashwathi Narayana
Chairman



GOVT.OF TAMILNADU

DEPARTMENT OF PUBLIC HEALTH AND PREVENTIVE MEDICINE

SMOKE FREE KRISHNAGIRI DISTRICT

CERTIFICATE

K.Dis.No : 0132/A4/2025
Date : 22/01/2025

District Health Office,
Krishnagiri.

This certificate is Awarded M/s. ADVAIDH INTERNATIONAL ACADEMY, NALLUR - 635103, HOSUR -TALUK, KRISHNAGIRI - DISRICT for for keeping the premises SMOKE FREE AND ADHERANCE TO TOBACCO CONTROL ACT (COTPA - 2024) on 22-01-2025 at SCHOOL PREMISES, Krishnagiri District.

District Health Officer,
Krishnagiri

[Handwritten Signature]
22/01/25

Sangeeta Roy.

PRINCIPAL

ADVAITH INTERNATIONAL ACADEMY
5/330, Innappasandram - Nallur Road,
Hosur - 635 103.
CBSE AFFI : 1930740

For ADVAITH INTERNATIONAL ACADEMY
(CBSE SCHOOL)

Ashwathi Narayana
Chairman



GOVERNMENT OF TAMIL NADU

DIRECTORATE OF PUBLIC HEALTH AND PREVENTIVE MEDICINE

பொது சுகாதாரம் மற்றும் நோய்த் தடுப்பு மருந்துத்துறை

SELF DECLARED SANITATION CERTIFICATE

(Issued under G.O.(Ms)No. 276 of Health and Family Welfare (AB2) Department dated 23.09.2024 on the basis of affidavit by the applicant)

Certificate Number : TN00126KGI20363

Issued Date : 06-01-2026

Organization Type : Educational Institutions

Expiry Date : 05-01-2027

Name of the Organization : ADVAITH INTERNATIONAL ACADEMY

Address : Sf.No.511/1A1,1A2,1B1, 512/3A,3B, NALLUR - VILLAGE,
HOSUR - 635103, KRISHNAGIRI - DIST.

I, ASHWATH NARAYANA owner/manager of the ADVAITH INTERNATIONAL ACADEMY functioning as Educational Institutions located at Nallur in Krishnagiri district hereby declare that

- This Self-Declared Sanitation certificate is valid from 06-01-2026 to 05-01-2027 and will be renewed every year prior to the expiry of the current certificate with updated information.
 - Our premises can accommodate 2720 people/pupils and has 51 urinals and 58 toilets which is proportionate to the number of users as per government norms.
 - 15 Sanitation workers are deployed to clean the entire premises including Toilets, Common Area Spaces, etc., at regular intervals and proper record is maintained.
 - The waste generated on our premises is properly processed and disposed of as per Solid Waste management Rules, 2016.
 - There is no potential mosquito breeding area on the premises.
 - The premises have adequate drinking water fountains on each floor of the premises.
 - The self-declared certificate is displayed prominently on the premises along with the protocol
- The Government reserves the right to inspect at any point of time and cause for rectification or cancel or suspend the certificate and take legal action if any conditions are violated.

Signature of the Owner/Manager



(அ) TN00126KGI20363 என்ற தனிப்பட்ட சான்றிதழ் எண்ணை

<https://www.tnesevai.in.gov.in/edu/edu/CheckStatus/Certificate> ல் உள்ளீடு செய்து சரிபார்க்கவும்

(அல்லது)

(ஆ) கைப்பேசியில் பாரகொடு படிப்பான் மூலம் இணையதளத்தில் சரிபார்க்கவும்.

Genuineness of the certificate can be verified by.

(a) Keying in the unique certificate number TN00126KGI20363 in the URL

<https://www.tnesevai.in.gov.in/edu/edu/CheckStatus/Certificate>

(b) Reading the 2D barcode with mobile barcode reader and verify through online.

PRINCIPAL

ADVAITH INTERNATIONAL ACADEMY
5/330, Innappasandram - Nallur Road,
Hosur - 635 103.
CBSE AFFI : 1930740

For ADVAITH INTERNATIONAL ACADEMY

Ashwath narayana
Chairman